As Amended by House Committee

Session of 2006

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

42

43

HOUSE BILL No. 2867

By Committee on Environment

2-9

12 AN ACT concerning water and watercourses; relating to dams; amending
13 K.S.A. 82a-303c and K.S.A. 2005 Supp. 82a-303b and repealing the
14 existing sections.
15
16 Be it enacted by the Legislature of the State of Kansas:
17 Section 1. K.S.A. 2005 Supp. 82a-303b is hereby amended to read

Section 1. K.S.A. 2005 Supp. 82a-303b is hereby amended to read as follows: 82a-303b. (a) (1) In order to secure conformity with adopted rules and regulations and to assure compliance with the terms, conditions or restrictions of any consent or permit granted pursuant to the provisions of K.S.A. 82a-301 through 82a-303, and amendments thereto, the chief engineer or an authorized representative of the chief engineer shall have the power and the duty to inspect any dam or other water obstruction. Upon a finding pursuant to subsection (a) of K.S.A. 82a-303c, and amendments thereto, by the chief engineer that a dam is unsafe, the chief engineer shall order an annual inspection of the dam until it is either in compliance with all applicable provisions of this act, any rules and regulations promulgated pursuant to this act, permit conditions and orders of the chief engineer; or the dam is removed. The safety inspection shall be conducted by the chief engineer or authorized representative and the cost shall be paid by the dam owner [department of agriculture, division of water resources]. Except as provided in subsection (a)(4) of K.S.A. 82a-303b, and amendments thereto, the The class and size of a dam provided for by the provisions of this act shall be defined by rules and regulations adopted by the chief engineer pursuant to K.S.A. 82a-303a, and amendments thereto. Inspection fees are as follows:

37	Size of Dam	Inspection fee
38	Class 1	\$1,500
39	Class 2	\$1,500
40	Class 3	\$2,500
41	Class 4	\$4,000.

(2) Except as provided in subsection (a)(5) of K.S.A. 82a-303b, and amendments thereto, each Each hazard class C dam shall be required to

1 2

have a safety inspection conducted by a licensed professional engineer qualified in design, construction, maintenance and operation of dams once every three years, unless otherwise ordered by the chief engineer.

- (3) Except as provided in subsection (a)(5) of K.S.A. 82a-303b, and amendments thereto, each Each hazard class B dam shall be required to have a safety inspection conducted by a licensed professional engineer qualified in design, construction, maintenance and operation of dams once every five years unless otherwise ordered by the chief engineer.
- (4) (A) The chief engineer shall not change the size or hazard class of any dam to a larger size class or higher hazard class after the dam has been built, regardless of downstream development or construction, unless the dam in question has been voluntarily structurally modified to a larger size or impoundment after the downstream construction in question.
- (B) Any dam in existence, prior to the passage of this act, that the chief engineer has re-classified to a larger size or hazard class due to downstream development or construction shall be re-classified to its assigned classification at the time of the dam's construction or its most recent voluntary structural modification.
- (C) The provisions of subsections (A) and (B) shall only apply after the owner or operator of the dam in question has notified local emergency management personnel of the presence of the dam.
- (5) A dam is not required to have a safety inspection if the only lives or property continuously endangered by the dam are the lives or property of the dam owner or operator or their immediate family.
- (4) (5) Within 60 days of the date of inspection, a report of the inspection shall be provided to the chief engineer by the licensed professional engineer who conducted the inspection. The report shall document the physical condition of the dam, describing any deficiencies observed, an analysis of the capacity of the dam and its spillway works, compliance of the dam with approved plans and permit conditions, changes observed in the condition of the dam since the previous inspection, an assessment of the hazard classification of the dam including a statement that the engineer either agrees or disagrees with the current classification, and any other information relevant to the safety of the dam or specifically requested by the chief engineer.
- (5) (7) (6) [(5)] Upon failure of a dam owner to comply with the applicable inspection interval, the chief engineer or such chief engineer's authorized representative shall conduct a mandatory inspection of the dam and the costs as established by this act for the inspection shall be paid by the owner, in addition to any other remedies provided for violations of this act.
- (6) (8) (7) [(6)] The failure to file a complete and timely report as required by the provisions of this act, or the failure to submit the fees

assessed for inspections conducted by the chief engineer or such chief engineer's authorized representative shall be deemed a violation of this act and subject to the penalties provided by K.S.A. 82a-305a, and amendments thereto.

- (b) For the purpose of inspecting any dam or other water obstruction, the chief engineer or an authorized representative of the chief engineer shall have the right of access to private property. Costs for any work which may be required by the chief engineer or the authorized representative prior to or as a result of the inspection of a dam or other water obstruction shall be paid by the owner, governmental agency or operator of such dam or other water obstruction.
- (c) All fees collected by the chief engineer pursuant to this section shall be remitted to the state treasurer as provided in K.S.A. 2005 Supp. 82a-328, and amendments thereto.
- (d) To facilitate dam safety compliance and conduct accurate dam risk analysis, the chief engineer shall utilize all maps available from state or federal sources to create breach inundation maps for existing dams.
- Sec. 2. K.S.A. 82a-303c is hereby amended to read as follows: 82a-303c. (a) Except as otherwise provided in subsection (b) of K.S.A. 82a-303c, and amendments thereto, whenever the chief engineer finds that: (1) The construction, modification, operation or maintenance of a dam or other water obstruction is in violation of adopted rules and regulations or of terms, conditions or restrictions of a permit or consent granted by the chief engineer or, (2) conditions exist in the construction, modification, operation or maintenance of a dam or other water obstruction which may present a hazard to the public's safety, he or she shall issue an order to require the correction of any such violation or condition existing in the construction, modification, operation or maintenance of a dam or other water obstruction by the owner or operator thereof. An order may be issued to require the removal of a dam or other water obstruction. The order shall contain the chief engineer's findings concerning any violation or conditions existing and shall prescribe the corrective action to be taken.
- (b) [(1)] The chief engineer shall inspect but not require the correction of any violation or condition existing in the construction, modification, operation or maintenance of a dam or other water obstruction if the only lives or property normally [regularly and frequently] endangered in the breach inundation zone by the dam are the lives or property of the dam owner or operator, or their immediate family. The chief engineer shall obtain written certification that the dam owner acknowledges the risk and accepts such risk. [The owner of such a dam shall notify the buyer of such a dam of the condition of the dam prior to transfer of ownership of the dam. Upon transfer of own-

1 2

3

4

6

ership of the dam, the new owner of the dam shall notify the chief engineer of the transfer of ownership.

- [(2) The results of the inspection in subsection (b)(1) shall be filed with the register of deeds in the county in which the dam is located. The register of deeds shall attach the results of the inspection to the title of any property affected by the dam.]
- $\overline{\text{(b)}}(c)$ Whenever the condition of any dam or other water obstruction 8 is so dangerous to the safety of life or property as not to permit time for 9 the issuance and enforcement of an order relative to construction, modification, maintenance or operation thereof, or, the passing of imminent 10 floods threaten the safety of any dam or other water obstruction, the chief 11 12 engineer shall immediately employ any remedial means necessary to pro-13 tect the safety of life or property. The chief engineer shall continue in full charge and control of any such dam or other water obstruction until 14 15 the same is rendered safe or the emergency occasioning the remedial 16 action has ceased.
- 17 Sec. 3. K.S.A. 82a-303c and K.S.A. 2005 Supp. 82a-303b are hereby 18 $\,$ repealed.
- 19 Sec. 4. This act shall take effect and be in force from and after its 20 publication in the statute book.